






LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
IR	-	E3	ECR-10-026537	27JUN11	KK	HMR	

- NOTE:
- △ MATERIAL : HOUSING : NYLON 66 OR EQUIVALENT, UL94V-0, BLACK COLOUR. CONTACT : COPPER ALLOY
  - △ FINISH: CONTACT : GOLD PLATED (SEE TABLE) ON CONTACT AREA  
80μ" MIN. TIN PLATED ON SOLDER TAIL,  
50μ" MIN. NICKEL UNDERPLATED ALL OVER.
  - 3. APPLICATION :  
SOLDERTAIL LENGTH 2.6 FOR PCB THICKNESS 1.6±0.1  
1.2 FOR PCB THICKNESS 0.3 MAX.
  - 4. KEYING POS. : HOUSING CAVITY MOLDED SHUT
  - 5. QUALIFICATION TEST REPORT: 501-57197



2.0±0.05  
POSITION NUMBERS FOR REFERENCE ONLY AND DO NOT APPEAR ON PART



RECOMMENDED PCB LAYOUT

OBsolete	6	40	38	40	9	-	9
OBsolete		50	48	50	9	-	-8
OBsolete		48	46	48	9	-	-7
OBsolete		46	44	46	9	-	-6
OBsolete		44	42	44	9	-	-5
OBsolete		42	40	42	9	-	-4
OBsolete		40	38	40	9	-	-3
OBsolete		38	36	38	9	-	-2
OBsolete		36	34	36	8	-	-1
OBsolete		34	32	34	8	-	0
OBsolete		32	30	32	8	-	0
OBsolete		30	28	30	8	-	-8
OBsolete		28	26	28	8	-	-7
OBsolete		26	24	26	8	-	-6
OBsolete		24	22	24	8	-	-5
OBsolete		22	20	22	8	-	-4
OBsolete		20	18	20	8	-	-3
OBsolete		18	16	18	8	-	-2
OBsolete		16	14	16	8	-	-1
OBsolete		14	12	14	8	-	0
OBsolete		12	10	12	7	-	-9
OBsolete		10	8	10	7	-	-8
OBsolete		8	6	8	7	-	-7
OBsolete		6	4	6	7	-	-6
OBsolete		4	2	4	7	1470209	-5
OBsolete		50	48	50	7	-	-4
OBsolete		48	46	48	7	-	-3
OBsolete		46	44	46	7	-	-2
OBsolete		44	42	44	7	-	-1
OBsolete		42	40	42	7	-	0
OBsolete		40	38	40	6	-	-9
OBsolete		38	36	38	6	-	-8
OBsolete		36	34	36	6	-	-7
OBsolete		34	32	34	6	-	-6
OBsolete		32	30	32	6	-	-5
OBsolete		30	28	30	6	-	-4
OBsolete		28	26	28	6	-	-3
OBsolete		26	24	26	6	-	-2
OBsolete		24	22	24	6	-	-1
OBsolete		22	20	22	6	-	0
OBsolete		20	18	20	5	-	-9
OBsolete		18	16	18	5	-	-8
OBsolete		16	14	16	5	-	-7
OBsolete		14	12	14	5	-	-6
OBsolete		12	10	12	5	-	-5
OBsolete		10	8	10	5	-	-4
OBsolete		8	6	8	5	-	-3
OBsolete		6	4	6	5	-	-2
OBsolete		4	2	4	5	1470209	-1



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN O.HU 30-NOV-2001	 TE Connectivity
	0 PLC ± -	CHK J.CHENG 30-NOV-2001	
	1 PLC ± 0.15	APVD J.WU 30-NOV-2001	
	2 PLC ± 0.10	PRODUCT SPEC 108-57197	
MATERIAL	FINISH	NAME	AMPMODU 2.0mm PITCH REC CONN,VERTICAL MOUNT TYPE
1	2	APPLICATION SPEC	RESTRICTED TO
		WEIGHT -	SIZE A3
			CAGE CODE -
			DRAWING NO C-1470209
			SCALE 1:1
			SHEET 1 OF 2
			REV E3

CUSTOMER DRAWING

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV. 2001. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
IR	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



OBsolete	5040	1260	105	40	9	-	-	9
	4320	1080	90	50	9	-	-	8
OBsolete	4320	1080	90	48	9	-	-	7
OBsolete	4320	1080	90	46	9	-	-	6
OBsolete	4320	1080	90	44	9	-	-	5
OBsolete	5040	1260	105	42	9	-	-	4
	5040	1260	105	40	9	-	-	3
OBsolete	5040	1260	105	38	9	-	-	2
OBsolete	5760	1440	120	36	9	-	-	1
OBsolete	5760	1440	120	34	9	-	-	0
OBsolete	6480	1620	135	32	8	-	-	9
	7200	1800	150	30	8	-	-	8
OBsolete	7200	1800	150	28	8	-	-	7
OBsolete	7920	1980	165	26	8	-	-	6
OBsolete	8640	2160	180	24	8	-	-	5
OBsolete	9360	2340	195	22	8	-	-	4
	10080	2520	210	20	8	-	-	3
OBsolete	11520	2880	240	18	8	-	-	2
OBsolete	12960	3240	270	16	8	-	-	1
OBsolete	15120	3780	315	14	8	-	-	0
	17280	4320	360	12	7	-	-	9
	20880	5220	435	10	7	-	-	8
OBsolete	26640	6660	555	8	7	-	-	7
	35280	8820	735	6	7	-	-	6
OBsolete	51840	12960	1080	4	7	-	-	5
	4320	1080	90	50	7	-	-	4
	4320	1080	90	48	7	-	-	3
	4320	1080	90	46	7	-	-	2
	4320	1080	90	44	7	-	-	1
	5040	1260	105	42	7	-	-	0
	5040	1260	105	40	6	-	-	9
	5040	1260	105	38	6	-	-	8
	5760	1440	120	36	6	-	-	7
	5760	1440	120	34	6	-	-	6
	6480	1620	135	32	6	-	-	5
	7200	1800	150	30	6	-	-	4
	7200	1800	150	28	6	-	-	3
	7920	1980	165	26	6	-	-	2
	8640	2160	180	24	6	-	-	1
	9360	2340	195	22	6	-	-	0
	10080	2520	210	20	5	-	-	9
	11520	2880	240	18	5	-	-	8
	12960	3240	270	16	5	-	-	7
	15120	3780	315	14	5	-	-	6
	17280	4320	360	12	5	-	-	5
	20880	5220	435	10	5	-	-	4
	26640	6660	555	8	5	-	-	3
	35280	8820	735	6	5	-	-	2
OBsolete	51840	12960	1080	4	5	-	-	1

OBsolete	5040	1260	105	40	4	-	-	9
	4320	1080	90	50	4	-	-	8
OBsolete	4320	1080	90	48	4	-	-	7
OBsolete	4320	1080	90	46	4	-	-	6
	4320	1080	90	44	4	-	-	5
OBsolete	5040	1260	105	42	4	-	-	4
	5040	1260	105	40	4	-	-	3
OBsolete	5040	1260	105	38	4	-	-	2
OBsolete	5760	1440	120	36	4	-	-	1
OBsolete	5760	1440	120	34	4	-	-	0
OBsolete	6480	1620	135	32	3	-	-	9
	7200	1800	150	30	3	-	-	8
OBsolete	7200	1800	150	28	3	-	-	7
	7920	1980	165	26	3	-	-	6
OBsolete	8640	2160	180	24	3	-	-	5
OBsolete	9360	2340	195	22	3	-	-	4
	10080	2520	210	20	3	-	-	3
OBsolete	11520	2880	240	18	3	-	-	2
OBsolete	12960	3240	270	16	3	-	-	1
OBsolete	15120	3780	315	14	3	-	-	0
	17280	4320	360	12	2	-	-	9
	20880	5220	435	10	2	-	-	8
OBsolete	26640	6660	555	8	2	-	-	7
	35280	8820	735	6	2	-	-	6
OBsolete	51840	12960	1080	4	2	-	-	5
	4320	1080	90	50	2	-	-	4
	4320	1080	90	48	2	-	-	3
	4320	1080	90	46	2	-	-	2
	4320	1080	90	44	2	-	-	1
	5040	1260	105	42	2	-	-	0
	5040	1260	105	40	1	-	-	9
	5040	1260	105	38	1	-	-	8
	5760	1440	120	36	1	-	-	7
	5760	1440	120	34	1	-	-	6
	6480	1620	135	32	1	-	-	5
	7200	1800	150	30	1	-	-	4
	7200	1800	150	28	1	-	-	3
	7920	1980	165	26	1	-	-	2
	8640	2160	180	24	1	-	-	1
	9360	2340	195	22	1	-	-	0
	10080	2520	210	20		-	-	9
	11520	2880	240	18		-	-	8
	12960	3240	270	16		-	-	7
	15120	3780	315	14		-	-	6
	17280	4320	360	12		-	-	5
	20880	5220	435	10		-	-	4
	26640	6660	555	8		-	-	3
	35280	8820	735	6		-	-	2
OBsolete	51840	12960	1080	4		-	-	1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± 0.15
2 PLC	± 0.10
3 PLC	± 0.05
4 PLC	± -
ANGLES	± 3'

MATERIAL: SEE SHEET 1

FINISH: SEE SHEET 1

APPROVALS:

DWN	O.HU	30-NOV-2001
CHK	J.CHENG	30-NOV-2001
APVD	J.WU	30-NOV-2001

PRODUCT SPEC: 108-57197

APPLICATION SPEC: -

WEIGHT: -

CUSTOMER DRAWING

STE TE Connectivity

AMPMODU 2.0mm PITCH REC CONN, VERTICAL MOUNT TYPE

SIZE: A3

CAGE CODE: -

DRAWING NO: C-1470209

RESTRICTED TO: -

SCALE: 1:1

SHEET: 2 OF 2

REV: E3