


Data sheet | Item number: 884-3542

Jumper; for M6 stud bolts; 2-way; unplated; silver-colored

www.wago.com/884-3542



Color:

Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

Nominal voltage (III/3)	1000 V
Rated current	125 A

Ratings per UL

Rated voltage UL (Use Group B)	1000 V
Rated current UL (Use Group B)	130 A
Rated voltage UL (Use Group C)	1000 V
Rated current UL (Use Group C)	130 A
Rated voltage UL (Use Group D)	1000 V
Rated current UL (Use Group D)	130 A

Ratings per CSA

Rated voltage CSA (Use Group B)	1000 V
Rated current CSA (Use Group B)	115 A
Rated voltage CSA (Use Group C)	1000 V
Rated current CSA (Use Group C)	115 A
Rated voltage CSA (Use Group D)	1000 V
Rated current CSA (Use Group D)	115 A

Material Data

Note (material data)	Information on material specifications can be found here
Color	silver-colored
Weight	14.4 g

Commercial data

ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	10 pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143941907
Customs tariff number	85366990990

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads
Documentation

Additional Information	pdf 2.3 MB	Download
------------------------	---------------	----------

CAD/CAE-Data

CAE data		
EPLAN Data Portal 884-3542	URL	Download

Environmental Product Compliance

Compliance Search		
Environmental Product Compliance 884-3542 Jumper; for M6 stud bolts; 2-way; unplated; silver-colored	URL	Download

Installation Notes

Subject to changes. Please also observe the further product documentation!