


Data sheet | Item number: 209-123

Mounting foot with screw; can be screwed on terminal blocks with fixing flange; 6.4 mm wide; gray

www.wago.com/209-123



Data
Technical data

Main product function	Mounting accessories
Mounting type	DIN-35 rail

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Width	6.4 mm / 0.252 inches
Height	42.3 mm / 1.665 inches

Material Data

Color	gray
Fire load	0.036 MJ
Weight	1.8 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	500 (25) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332269513
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

209-123 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
209-123 doc - Datei	2017 年8月18 日	doc 23.6 kB	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



CAD/CAE-Data

CAD data

2D/3D Models 209-123	URL	Download
----------------------	-----	----------

CAE data

ZUKEN Portal 209-123	URL	Download
----------------------	-----	----------

WSCAD Universe 209-123	URL	Download
------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 209-123	URL	Download
Mounting foot with screw; can be screwed on terminal blocks with fixing flange; 6.4 mm wide; gray		

Installation Notes



Terminal strip with mounting flanges

Screwing a mounting foot (209-123).

(Distance between mounting feet: approx. 25 ... 30 mm)



Terminal strip; with mounting flanges; for DIN-35 rail

Subject to changes. Please also observe the further product documentation!