Ferrule; Sleeve for 10 mm² / AWG 8; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red

www.wago.com/216-289

Picture differs from the item.

Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Data
Technical data

Main product function	Ferrule
Sleeve cross-section (AWG)	8 AWG
Sleeve for	10 mm²

Connection data

Strip length	20 mm / 0.79 inches

Physical data

Length	28 mm
Crimp length (length of sleeve)	18 mm
Diameter	8.4 mm
Inner Diameter plastic collar	7.6 mm
Diameter crimp sleeve inside	4.5 mm

Mechanical Data

Suitable	2010 to 2016 Series

Material Data

Color	red
Weight	0.7 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-02-01
eCl@ss 9.0	27-40-02-01
ETIM 8.0	EC000005
ETIM 7.0	EC000005
PU (SPU)	100 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143654777
Customs tariff number	85369010000

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Environmental Product Compliance

RoHS Compliance Status	Compliant,No Exemption

Downloads

Documentation

Bid Text

216-289 X81 - Datei	2019 年2月19 日	xml 2.9 kB	Download
216-289 doc - Datei	2017 年9月11 日	doc 25.1 kB	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 216-289 Ferrule; Sleeve for 10 mm² / AWG 8; insulated; electro-tin plated; electrolytic copper; gastight crimped; acc. to DIN 46228, Part 4/09.90; red	URL	Download

Installation Notes

A perfect gas-tight crimp – both electrically and mechanically reliable

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.